

**Relative Energy Deficiency in Military (RED-M): A Multidisciplinary Approach to Awareness & Prevention (MAAP) Reference List**

1. American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy*, 74(Suppl. 2), Article 7412410010. <https://doi.org/10.5014/ajot.2020.74S2001>
2. Beck, B., & Drysdale, L. (2021). Risk factors, diagnosis and management of bone stress injuries in adolescent athletes: A Narrative Review. *Sports (Basel, Switzerland)*, 9(4), 52. <https://doi.org/10.3390/sports9040052>
3. Booth, C. K., Coad, R. A., Forbes-Ewan, C. H., Thomson, G. F., & Niro, P. J. (2003). The physiological and psychological effects of combat ration feeding during a 12-Day training exercise in the tropics. *Military Medicine*, 168(1), 63–70. <https://doi.org/10.1093/milmed/168.1.63>
4. Burke, L. M., Close, G. L., Lundy, B., Mooses, M., Morton, J. P., & Tenforde, A. S. (2018). Relative energy deficiency in sport in male athletes: A commentary on its presentation among selected groups of male athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 1–374. <https://doi.org/10.1123/ijsnem.2018-0182>
5. Cabre, H. E., Moore, S. R., Smith-Ryan, A. E., & Hackney, A. C. (2022). Relative Energy Deficiency in Sport (RED-S): Scientific, clinical, and practical implications for the female athlete. *Deutsche Zeitschrift Für Sportmedizin*, 73(7), 225–234. <https://doi.org/10.5960/dzsm.2022.546>
6. Carins, J., & Booth, C. (2002). Salivary immunoglobulin-A as a marker of stress during strenuous physical training. *Aviation, space, and environmental medicine*, 73(12), 1203–1207.
7. Choi, S., Nah, S., Jang, H. D., Moon, J. E., & Han, S. (2021). Association between chronic low back pain and degree of stress: a nationwide cross-sectional study. *Scientific reports*, 11(1), 14549. <https://doi.org/10.1038/s41598-021-94001-1>
8. Constantini, N. W., Alves, E., L Mountjoy, M. L., & E Ackerman, K. E. (2024). Relative energy deficiency in military (RED-M). *BMJ military health*, 170(3), 191–192. <https://doi.org/10.1136/military-2022-002341>
9. Cosman, F., Ruffing, J., Zion, M., Uhorchak, J., Ralston, S., Tendy, S., McGuigan, F. E. A., Lindsay, R., & Nieves, J. (2013). Determinants of stress fracture risk in United States military academy cadets. *Bone (New York, N.Y.)*, 55(2), 359–366. <https://doi.org/10.1016/j.bone.2013.04.011>

10. Dolan, E., Varley, I., Ackerman, K. E., Pereira, R. M. R., Elliott-Sale, K. J., & Sale, C. (2020). The bone metabolic response to exercise and nutrition. *Exercise and sport sciences reviews*, 48(2), 49–58. <https://doi.org/10.1249/JES.0000000000000215>
11. Fortes, M. B., Diment, B. C., Greeves, J. P., Casey, A., Izzard, R., & Walsh, N. P. (2011). Effects of a daily mixed nutritional supplement on physical performance, body composition, and circulating anabolic hormones during 8 weeks of arduous military training. *Applied physiology, nutrition, and metabolism*, 36(6), 967–975. <https://doi.org/10.1139/h11-124>
12. Gifford, R., Reynolds, R., Greeves, J., Anderson, R., & Woods, D. (2017). Reproductive dysfunction and associated pathology in women undergoing military training. *Royal Army Medical Corps*. <https://doi.org/10.1136/jramc-2016-000727>
13. Gillbanks, L., Mountjoy, M., & Filbay, S. R. (2022). Lightweight rowers' perspectives of living with relative energy deficiency in sport (red-S). *PLOS ONE*, 17(3). <https://doi.org/10.1371/journal.pone.0265268>
14. Gordon C. M. (2010). Clinical practice. Functional hypothalamic amenorrhea. *The New England Journal of Medicine*, 363(4), 365–371. <https://doi.org/10.1056/NEJMcp0912024>
15. Hamarsland, H., Paulsen, G., Solberg, P. A., Slaathaug, O. G., & Raastad, T. (2018). depressed physical performance outlasts hormonal disturbances after military training. *Medicine and Science in Sports and Exercise*, 50(10), 2076–2084. <https://doi.org/10.1249/MSS.0000000000001681>
16. Huang, K., & Ihm, J. (2021). Sleep and injury risk. *Current Sports Medicine Reports*, 20(6), 286–290. <https://doi.org/10.1249/JSR.0000000000000849>
17. Hughes, J. M., Smith, M. A., Henning, P. C., Scofield, D. E., Spiering, B. A., Staab, J. S., Hydren, J. R., Nindl, B. C., & Matheny, R. W., Jr (2014). Bone formation is suppressed with multi-stressor military training. *European Journal of Applied Physiology*, 114(11), 2251–2259. <https://doi.org/10.1007/s00421-014-2950-6>
18. Ihle, R., & Loucks, A. B. (2004). Dose-response relationships between energy availability and bone turnover in young exercising women. *Journal of Bone and Mineral Research*, 19(8), 1231–1240. <https://doi.org/10.1359/JBMR.040410>
19. Johnson, M. J., Friedl, K. E., Frykman, P. N., & Moore, R. J. (1994). Loss of muscle mass is poorly reflected in grip strength performance in healthy young men. *Medicine and Science in Sports and Exercise*, 26(2), 235–240. <https://doi.org/10.1249/00005768-199402000-00015>
20. Karl, J. P., Margolis, L. M., Madslie, E. H., Murphy, N. E., Castellani, J. W., Gundersen, Y., Hoke, A. V., Levangie, M. W., Kumar, R., Chakraborty, N., Gautam, A., Hammamieh, R., Martini, S., Montain, S. J., & Pasiakos, S. M. (2017). Changes in intestinal microbiota

composition and metabolism coincide with increased intestinal permeability in young adults under prolonged physiological stress. *American Journal of Physiology: Gastrointestinal and Liver Physiology*, 312(6), G559–G571. <https://doi.org/10.1152/ajpgi.00066.2017>

21. Keramidis, M. E., Gadefors, M., Nilsson, L.-O., & Eiken, O. (2018). Physiological and psychological determinants of whole-body endurance exercise following short-term sustained operations with partial sleep deprivation. *European Journal of Applied Physiology*, 118(7), 1373–1384. <https://doi.org/10.1007/s00421-018-3869-0>
22. Knechtle, B., Jastrzębski, Z., Hill, L., & Nikolaidis, P. T. (2021). Vitamin D and stress fractures in sport: Preventive and therapeutic measures- A narrative review. *Medicina (Kaunas, Lithuania)*, 57(3), 223. <https://doi.org/10.3390/medicina57030223>
23. Kramer, T. R., Moore, R. J., Shippee, R. L., Friedl, K. E., Martinez-Lopez, L., Chan, M. M., & Askew, E. W. (1997). Effects of food restriction in military training on T-lymphocyte responses. *International Journal of Sports Medicine*, 18 Suppl 1, S84–S90. <https://doi.org/10.1055/s-2007-972704>
24. Lieberman, H. R., Bathalon, G. P., Falco, C. M., Kramer, F. M., Morgan, C. A., & Niro, P. (2005). Severe decrements in cognition function and mood induced by sleep loss, heat, dehydration, and undernutrition during simulated combat. *Biological Psychiatry (1969)*, 57(4), 422–429. <https://doi.org/10.1016/j.biopsych.2004.11.014>
25. Lieberman, H. R., Castellani, J. W., & Young, A. J. (2009). Cognitive function and mood during acute cold stress after extended military training and recovery. *Aviation, Space, and Environmental Medicine*, 80(7), 629–636. <https://doi.org/10.3357/ASEM.2431.2009>
26. Lieberman, H. R., Farina, E. K., Caldwell, J., Williams, K. W., Thompson, L. A., Niro, P. J., Grohmann, K. A., & McClung, J. P. (2016). Cognitive function, stress hormones, heart rate and nutritional status during simulated captivity in military survival training. *Physiology & Behavior*, 165, 86–97. <https://doi.org/10.1016/j.physbeh.2016.06.037>
27. Lieberman, H. R., Niro, P., Tharion, W. J., Nindl, B. C., Castellani, J. W., & Montain, S. J. (2006). Cognition during sustained operations: comparison of a laboratory simulation to field studies. *Aviation, Space, and Environmental Medicine*, 77(9), 929–935.
28. Lieberman, H. R., Tharion, W. J., Shukitt-Hale, B., Speckman, K. L., & Tulley, R. (2002). Effects of caffeine, sleep loss, and stress on cognitive performance and mood during U.S. Navy SEAL training. *Sea-Air-Land. Psychopharmacology*, 164(3), 250–261.
29. Loucks, A. B., & Thuma, J. R. (2003). Luteinizing hormone pulsatility is disrupted at a threshold of energy availability in regularly menstruating women. *The Journal of Clinical Endocrinology and Metabolism*, 88(1), 297–311. <https://doi.org/10.1210/jc.2002-020369>

30. Martinez-Lopez, L. E., Friedl, K. E., Moore, R. J., & Kramer, T. R. (1993). A longitudinal study of infections and injuries of Ranger students. *Military medicine*, *158*(7), 433–437.
31. McClung, J. P., Marchitelli, L. J., Friedl, K. E., & Young, A. J. (2006). Prevalence of iron deficiency and iron deficiency anemia among three populations of female military personnel in the US Army. *Journal of the American College of Nutrition*, *25*(1), 64–69. <https://doi.org/10.1080/07315724.2006.10719516>
32. McClung, J. P., Martini, S., Murphy, N. E., Montain, S. J., Margolis, L. M., Thrane, I., Spitz, M. G., Blatny, J.-M., Young, A. J., Gundersen, Y., & Pasiakos, S. M. (2013). Effects of a 7-day military training exercise on inflammatory biomarkers, serum hepcidin, and iron status. *Nutrition Journal*, *12*(1), 141–141. <https://doi.org/10.1186/1475-2891-12-141>
33. Melin, A. K., Heikura, I. A., Tenforde, A., & Mountjoy, M. (2019). Energy availability in athletics: Health, performance, and physique. *International Journal of Sport Nutrition and Exercise Metabolism*, *29*(2), 152–164. <https://doi.org/10.1123/ijsnem.2018-0201>
34. Milgrom, C., Giladi, M., Stein, M., Kashtan, H., Margulies, J. Y., Chisin, R., Steinberg, R., & Aharonson, Z. (1985). Stress fractures in military recruits. A prospective study showing an unusually high incidence. *Journal of Bone and Joint Surgery. British Volume*, *67*(5), 732–735. <https://doi.org/10.1302/0301-620x.67b5.4055871>
35. Meeusen, R., Duclos, M., Foster, C., Fry, A., Gleeson, M., Nieman, D., Raglin, J., Rietjens, G., Steinacker, J., & Urhausen, A. (2013). Prevention, diagnosis and treatment of the overtraining syndrome: Joint consensus statement of the European College of Sport Science (ECSS) and the American College of Sports Medicine (ACSM). *European Journal of Sport Science*, *13*(1), 1–24. <https://doi.org/10.1080/17461391.2012.730061>
36. Moran, D. S., Heled, Y., Arbel, Y., Israeli, E., Finestone, A. S., Evans, R. K., & Yanovich, R. (2012). Dietary intake and stress fractures among elite male combat recruits. *Journal of the International Society of Sports Nutrition*, *9*(1), 6–6. <https://doi.org/10.1186/1550-2783-9-6>
37. Mountjoy, M., Sundgot-Borgen, J. K., Burke, L. M., Ackerman, K. E., Blauwet, C., Constantini, N., Lebrun, C., Lundy, B., Melin, A. K., Meyer, N. L., Sherman, R. T., Tenforde, A. S., Klungland Torstveit, M., & Budgett, R. (2018). IOC consensus statement on relative energy deficiency in sport (RED-S): 2018 update. *British Journal of Sports Medicine*, *52*(11), 687–697. <https://doi.org/10.1136/bjsports-2018-099193>
38. Mountjoy, M., Sundgot-Borgen, J., Burke, L., Carter, S., Constantini, N., Lebrun, C., Meyer, N., Sherman, R., Steffen, K., Budgett, R., & Ljungqvist, A. (2014). The IOC consensus statement: beyond the Female Athlete Triad--Relative Energy Deficiency in Sport (RED-S). *British journal of sports medicine*, *48*(7), 491–497. <https://doi.org/10.1136/bjsports-2014-093502>

39. Mullie, P., Clarys, P., De Bry, W., & Geeraerts, P. (2019). Energy availability and nutrition during a Special Force Qualification Course (Q-Course). *Journal of the Royal Army Medical Corps*, *165*(5), 325–329. <https://doi.org/10.1136/jramc-2018-001059>
40. Nattiv, A., Loucks, A. B., Manore, M. M., Sanborn, C. F., Sundgot-Borgen, J., Warren, M. P., & American College of Sports Medicine (2007). American College of Sports Medicine position stand. The female athlete triad. *Medicine and Science in Sports and Exercise*, *39*(10), 1867–1882. <https://doi.org/10.1249/mss.0b013e318149f111>
41. Nindl, B. C., Alemany, J. A., Kellogg, M. D., Rood, J., Allison, S. A., Young, A. J., & Montain, S. J. (2007). Utility of circulating IGF-I as a biomarker for assessing body composition changes in men during periods of high physical activity superimposed upon energy and sleep restriction. *Journal of Applied Physiology (1985)*, *103*(1), 340–346. <https://doi.org/10.1152/jappphysiol.01321.2006>
42. Nindl, B. C., Barnes, B. R., Alemany, J. A., Frykman, P. N., Shippee, R. L., & Friedl, K. E. (2007). Physiological consequences of U.S. Army Ranger training. *Medicine and Science in Sports and Exercise*, *39*(8), 1380–1387. <https://doi.org/10.1249/MSS.0b013e318067e2f7>
43. Nindl, B. C., Friedl, K. E., Frykman, P. N., Marchitelli, L. J., Shippee, R. L., & Patton, J. F. (1997). Physical performance and metabolic recovery among lean, healthy men following a prolonged energy deficit. *International Journal of Sports Medicine*, *18*(5), 317–324. <https://doi.org/10.1055/s-2007-972640>
44. Nindl, B. C., Leone, C. D., Tharion, W. J., Johnson, R. F., Castellani, J. W., Patton, J. F., & Montain, S. J. (2002). Physical performance responses during 72 h of military operational stress. *Medicine and Science in Sports and Exercise*, *34*(11), 1814–1822. <https://doi.org/10.1097/00005768-200211000-00019>
45. Øfsteng, S. J., Garthe, I., Jøsok, Ø., Knox, S., Helkala, K., Knox, B., Ellefsen, S., & Rønnestad, B. R. (2020). No effect of increasing protein intake during military exercise with severe energy deficit on body composition and performance. *Scandinavian Journal of Medicine & Science in Sports*, *30*(5), 865–877. <https://doi.org/10.1111/sms.13634>
46. O’Leary, T. J., Wardle, S. L., & Greeves, J. P. (2020). Energy deficiency in soldiers: The risk of the athlete triad and relative energy deficiency in sport syndromes in the military. *Frontiers in Nutrition (Lausanne)*, *7*, 142–142. <https://doi.org/10.3389/fnut.2020.00142>
47. Owen, G., Turley, H., & Casey, A. (2004). The role of blood glucose availability and fatigue in the development of cognitive impairment during combat training. *Aviation, Space, and Environmental Medicine*, *75*(3), 240–246.

48. Papageorgiou, M., Dolan, E., Elliott-Sale, K. J., & Sale, C. (2018). Reduced energy availability: Implications for bone health in physically active populations. *European Journal of Nutrition*, 57(3), 847–859. <https://doi.org/10.1007/s00394-017-1498-8>
49. Pasiakos, S. M., Margolis, L. M., Murphy, N. E., McClung, H. L., Martini, S., Gundersen, Y., Castellani, J. W., Karl, J. P., Teien, H. K., Madslie, E. H., Stenberg, P. H., Young, A. J., Montain, S. J., & McClung, J. P. (2016). Effects of exercise mode, energy, and macronutrient interventions on inflammation during military training. *Physiological Reports*, 4(11), e12820-n/a. <https://doi.org/10.14814/phy2.12820>
50. Sharma, J., Greeves, J. P., Byers, M., Bennett, A. N., & Spears, I. R. (2015). Musculoskeletal injuries in British Army recruits: A prospective study of diagnosis-specific incidence and rehabilitation times. *BMC Musculoskeletal Disorders*, 16(1), 106–106. <https://doi.org/10.1186/s12891-015-0558-6>
51. Shukitt-Hale, B., Askew, E. W., & Lieberman, H. R. (1997). Effects of 30 days of undernutrition on reaction time, moods, and symptoms. *Physiology & Behavior*, 62(4), 783–789. [https://doi.org/10.1016/S0031-9384\(97\)00236-9](https://doi.org/10.1016/S0031-9384(97)00236-9)
52. Smith-Ryan, A. E., Hirsch, K. R., Saylor, H. E., Gould, L. M., & Blue, M. N. M. (2020). Nutritional considerations and strategies to facilitate injury recovery and rehabilitation. *Journal of Athletic Training*, 55(9), 918–930. <https://doi.org/10.4085/1062-6050-550-19>
53. Suurd Ralph, C., Vartanian, O., Lieberman, H. R., Morgan, C. A., & Cheung, B. (2017). The effects of captivity survival training on mood, dissociation, PTSD symptoms, cognitive performance and stress hormones. *International Journal of Psychophysiology*, 117, 37–47. <https://doi.org/10.1016/j.ijpsycho.2017.04.002>
54. Szivak, T. K., Lee, E. C., Saenz, C., Flanagan, S. D., Focht, B. C., Volek, J. S., Maresh, C. M., & Kraemer, W. J. (2018). Adrenal stress and physical performance during military survival training. *Aerospace Medicine and Human Performance*, 89(2), 99–107. <https://doi.org/10.3357/AMHP.4831.2018>
55. Tanskanen, M. M., Westerterp, K. R., Uusitalo, A. L., Atalay, M., Häkkinen, K., Kinnunen, H. O., & Kyröläinen, H. (2012). Effects of easy-to-use protein-rich energy bar on energy balance, physical activity and performance during 8 days of sustained physical exertion. *PloS One*, 7(10), e47771–e47771. <https://doi.org/10.1371/journal.pone.0047771>
56. Tenforde, A. S., Barrack, M. T., Nattiv, A., & Fredericson, M. (2016). Parallels with the female athlete triad in male athletes. *Sports medicine (Auckland, N.Z.)*, 46(2), 171–182. <https://doi.org/10.1007/s40279-015-0411-y>
57. Vikmoen, O., Teien, H. K., Raustøl, M., Aandstad, A., Tansø, R., Gulliksrud, K., Skare, M., & Raastad, T. (2020). Sex differences in the physiological response to a demanding

military field exercise. *Scandinavian Journal of Medicine & Science in Sports*, 30(8), 1348–1359. <https://doi.org/10.1111/sms.13689>

58. Welsh, T. T., Alemany, J. A., Montain, S. J., Frykman, P. N., Tuckow, A. P., Young, A. J., & Nindl, B. C. (2008). Effects of intensified military field training on jumping performance. *International Journal of Sports Medicine*, 29(1), 45–52. <https://doi.org/10.1055/s-2007-964970>
59. Zanker, C. L., & Swaine, I. L. (2000). Responses of bone turnover markers to repeated endurance running in humans under conditions of energy balance or energy restriction. *European Journal of Applied Physiology*, 83(4–5), 434–440. <https://doi.org/10.1007/s004210000293>

#### **Developers:**

- **Brandon Lee, MS, RD, CSSD, CCRP-** Team Lead
- **CPT Emily Clark, MS, CSSD, RD-** Nutrition Contributions
- **CPT James Contessa Dsc, OTR/L-** Occupational Therapy Contributions
- **1LT Christian Shave PT, DPT-** Physical Therapy Contributions
- **Alēc Herbert, M.Ed-** Cognitive Performance Contributions
- **Nicholas Arrigo, CSCS-** Strength and Conditioning Contributions